

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

**Revision date:** 23-May-2019

**Print date:** 24-May-2019

**Version:** 1

Page 1/9



## Fox Float Fluid

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

**Trade name/designation:**

Fox Float Fluid

**Article No.:**

025-03-002-A / 025-03-003-A

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Use of the substance/mixture:**

Lubricants, greases, release products

**Relevant identified uses:**

**Life cycle stage [LCS]**

**PW:** Widespread use by professional workers

**Product Categories [PC]**

**PC 24:** Lubricants, greases, release products

#### 1.3. Details of the supplier of the safety data sheet

**Supplier (manufacturer/importer/only representative/downstream user/distributor):**

**FOX Factory GmbH**

Eckstrasse 18  
66976 Rodalben  
Germany

**Telephone:** +49(0) 6331 14983-0

**Telefax:** +49(0) 6331 14983-10

**E-mail:** info@foxracingshox.de

**Website:** www.ridefox.de

**E-mail (competent person):** info@foxracingshox.de

#### 1.4. Emergency telephone number

24h: Antipoison Center Munich +49 89 19240

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

**Classification according to Regulation (EC) No 1272/2008 [CLP]-:**

Hazard classes and hazard categories	Hazard statements	Classification procedure
Serious eye damage/eye irritation ( <i>Eye Irrit. 2</i> )	H319: Causes serious eye irritation.	Calculation method.
Hazardous to the aquatic environment ( <i>Aquatic Chronic 3</i> )	H412: Harmful to aquatic life with long lasting effects.	Calculation method.

#### 2.2. Label elements

**Labelling according to Regulation (EC) No. 1272/2008 [CLP]**

**Hazard pictograms:**



**GHS07**

Exclamation mark

**Signal word:** Warning

**Hazard components for labelling:**

Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu) esters, zinc salts

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 23-May-2019

Print date: 24-May-2019

Version: 1



Page 2/9

## Fox Float Fluid

### hazard statements for health hazards

H319 Causes serious eye irritation.

### Hazard statements for environmental hazards

H412 Harmful to aquatic life with long lasting effects.

### Supplemental Hazard information (EU): -

#### Precautionary statements

P102 Keep out of reach of children.

#### Precautionary statements Prevention

P273 Avoid release to the environment.

P280 Wear eye protection/face protection.

#### Precautionary statements Response

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/attention.

#### Precautionary statements Disposal

P501 Dispose of contents/container to an appropriate recycling or disposal facility.

### 2.3. Other hazards

#### Adverse physicochemical effects:

No information available.

#### Adverse human health effects and symptoms:

No information available.

#### Adverse environmental effects:

No information available.

#### Other adverse effects:

No information available.

## SECTION 3: Composition / information on ingredients

### 3.2. Mixtures

#### Hazardous ingredients / Hazardous impurities / Stabilisers:

product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008- [CLP]	Concentration
CAS No.: 64742-54-7 EC No.: 265-157-1	Distillates (petroleum), hydrotreated heavy paraffinic Asp. Tox. 1 <b>Danger</b> EUH066	< 60 Wt %
CAS No.: 68442-22-8 EC No.: 270-478-5	Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu) esters, zinc salts Aquatic Chronic 2, Eye Dam. 1, Skin Irrit. 2 <b>Danger</b> H315-H318-H411	< 3 Wt %

Full text of H- and EUH-phrases: see section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious place in recovery position and seek medical advice. Do not leave affected person unattended.

#### Following inhalation:

Provide fresh air. In case of respiratory tract irritation, consult a physician.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

**Revision date:** 23-May-2019

**Print date:** 24-May-2019

**Version:** 1

Page 3/9



## Fox Float Fluid

### In case of skin contact:

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.

### After eye contact:

In case of contact with eyes, rinse immediately thoroughly with plenty of edible oil and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing.

### After ingestion:

Rinse mouth. Do NOT induce vomiting. Get immediate medical advice/attention.

### Self-protection of the first aider:

Use personal protection equipment.

### 4.2. Most important symptoms and effects, both acute and delayed

No data available

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media:

Water spray jet alcohol resistant foam Extinguishing powder Carbon dioxide (CO<sub>2</sub>)

#### Unsuitable extinguishing media:

Water spray jet

### 5.2. Special hazards arising from the substance or mixture

Combustible

#### Hazardous combustion products:

In case of fire: Gases/vapours, harmful

### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

### 5.4. Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

##### Personal precautions:

Remove persons to safety.

##### Protective equipment:

Wear protective gloves/protective clothing/eye protection/face protection.

#### 6.1.2. For emergency responders

##### Personal protection equipment:

Personal protection equipment: see section 8

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

### 6.3. Methods and material for containment and cleaning up

#### For containment:

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

#### For cleaning up:

Solvents/Thinner

### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

### 6.5. Additional information

Use appropriate container to avoid environmental contamination.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 23-May-2019

Print date: 24-May-2019

Version: 1

Page 4/9



## Fox Float Fluid

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

##### Protective measures

##### Advices on safe handling:

Wear personal protection equipment (refer to section 8).

##### Fire prevent measures:

Take precautionary measures against static discharge. Keep away from sources of ignition - No smoking.

##### Advices on general occupational hygiene

When using do not eat, drink or smoke. Avoid contact with eyes and skin.

#### 7.2. Conditions for safe storage, including any incompatibilities

##### Technical measures and storage conditions:

Keep container tightly closed in a cool, well-ventilated place.

##### Packaging materials:

Keep/Store only in original container.

**Storage class:** 10 - Combustible liquids that cannot be assigned to any of the above storage classes

#### 7.3. Specific end use(s)

No data available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### 8.1.1. Occupational exposure limit values

Limit value type (country of origin)	Substance name	① long-term occupational exposure limit value ② short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
DFG (DE)	Distillates (petroleum), hydro treated light CAS No.: 64742-47-8	① 5 mg/m <sup>3</sup> ② 20 mg/m <sup>3</sup> ⑤ (Aerosol, alveolengängige Fraktion)
DFG (DE)	Distillates (petroleum), hydro treated light CAS No.: 64742-47-8	① 50 ppm (350 mg/m <sup>3</sup> ) ② 100 ppm (700 mg/m <sup>3</sup> ) ⑤ Dampf

##### 8.1.2. Biological limit values

No data available

##### 8.1.3. DNEL-/PNEC-values

No data available

#### 8.2. Exposure controls

##### 8.2.1. Appropriate engineering controls

No data available

##### 8.2.2. Personal protection equipment

###### Eye/face protection:

Eye glasses with side protection DIN EN 166

###### Skin protection:

Tested protective gloves must be worn EN ISO 374

Suitable material: NBR (Nitrile rubber)

In the case of wanting to use the gloves again, clean them before taking off and air them well.

Breakthrough times and swelling properties of the material must be taken into consideration.

###### Respiratory protection:

Usually no personal respirative protection necessary.

In case of inadequate ventilation wear respiratory protection.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 23-May-2019

Print date: 24-May-2019

Version: 1

Page 5/9



## Fox Float Fluid

### 8.2.3. Environmental exposure controls

No data available

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

#### Appearance

**Physical state:** Liquid

**Colour:** blue

**Odour:** Petroleum

**Odour threshold:** not determined

#### Safety relevant basis data

parameter		at °C	Method	Remark
pH	<i>not applicable</i>			
Melting point	<i>not determined</i>			
Freezing point	<i>not determined</i>			
Initial boiling point and boiling range	<i>not determined</i>			
Decomposition temperature	<i>not determined</i>			
Flash point	170 °C			
Evaporation rate	<i>not determined</i>			
Auto-ignition temperature	<i>not determined</i>			
Upper/lower flammability or explosive limits	<i>not determined</i>			
Vapour pressure	<i>not determined</i>			
Vapour density	<i>not determined</i>			
Density	0.8991 kg/l			
Bulk density	<i>not determined</i>			
Water solubility	The study does not need to be conducted because the substance is known to be insoluble in water.			
Partition coefficient: n-octanol/water	<i>not determined</i>			
Dynamic viscosity	<i>not determined</i>			
Kinematic viscosity	> 40 mm <sup>2</sup> /s	40 °C	estimated	

### 9.2. Other information

DMSO Extract IP346:

<3 w%w%

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Combustible

This material is considered to be non-reactive under normal use conditions.

### 10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

### 10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

No known hazardous reactions.

### 10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

**Revision date:** 23-May-2019

**Print date:** 24-May-2019

**Version:** 1

Page 6/9



## Fox Float Fluid

### 10.5. Incompatible materials

Oxidising agent, strong  
Reducing agent, strong

### 10.6. Hazardous decomposition products

No known hazardous decomposition products.  
Decomposition products in case of fire: see section 5.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

#### Acute oral toxicity:

Based on available data, the classification criteria are not met.

#### Acute dermal toxicity:

Based on available data, the classification criteria are not met.

#### Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

#### Skin corrosion/irritation:

Based on available data, the classification criteria are not met.

#### Serious eye damage/irritation:

Causes serious eye irritation.

#### Respiratory or skin sensitisation:

Based on available data, the classification criteria are not met.

#### Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

#### Carcinogenicity:

Based on available data, the classification criteria are not met.

#### Reproductive toxicity:

Based on available data, the classification criteria are not met.

#### STOT-single exposure:

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure:

Based on available data, the classification criteria are not met.

#### Aspiration hazard:

Based on available data, the classification criteria are not met.

#### Additional information:

No data available

## SECTION 12: Ecological information

### 12.1. Toxicity

#### Aquatic toxicity:

Harmful to aquatic life with long lasting effects.

### 12.2. Persistence and degradability

CAS No.	Substance name	Biodegradation	Remark
68442-22-8	Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu) esters, zinc salts	No	

#### Biodegradation:

There are no data available on the mixture itself.

### 12.3. Bioaccumulative potential

#### Accumulation / Evaluation:

There are no data available on the mixture itself.  
No indication of bioaccumulation potential.

### 12.4. Mobility in soil

No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 23-May-2019

Print date: 24-May-2019

Version: 1

Page 7/9



## Fox Float Fluid

### 12.5. Results of PBT and vPvB assessment

CAS No.	Substance name	Results of PBT and vPvB assessment
68442-22-8	Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu) esters, zinc salts	The substance in the mixture does not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.6. Other adverse effects

No data available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Dispose of waste according to applicable legislation.

Recommended list for waste code/waste designation according to AVV:

#### 13.1.1. Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

##### Waste code product:

15 02 02 *	absorbents, filter materials (including oil filters not otherwise specified), wiping cloths, protective clothing contaminated by dangerous substances
13 02 05 *	mineral-based non-chlorinated engine, gear and lubricating oils
16 03 05 *	organic wastes containing hazardous substances

\*: Evidence for disposal must be provided.

##### Waste code packaging:

20 03 99	Municipal wastes not otherwise specified
----------	--

##### Remark:

Non-contaminated packages may be recycled.

Handle contaminated packages in the same way as the substance itself.

### Waste treatment options

#### Appropriate disposal / Product:

Consult the appropriate local waste disposal expert about waste disposal.

#### Appropriate disposal / Package:

Completely emptied packages can be recycled.

## SECTION 14: Transport information

No dangerous good in sense of these transport regulations.

Land transport (ADR/RID)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)	
<b>14.1. UN-No.</b>			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	
<b>14.2. UN proper shipping name</b>			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	
<b>14.3. Transport hazard class(es)</b>			
not relevant			
<b>14.4. Packing group</b>			
not relevant			
<b>14.5. Environmental hazards</b>			
not relevant			
<b>14.6. Special precautions for user</b>			
not relevant			

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

**Revision date:** 23-May-2019

**Print date:** 24-May-2019

**Version:** 1

Page 8/9



## Fox Float Fluid

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not relevant

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU legislation

##### Restrictions on use:

Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

##### Other regulations (EU):

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive]: This product is not assigned to a hazard category.

#### 15.1.2. National regulations

##### [DE] National regulations

##### Störfallverordnung

##### for substances contained in the product:

This product is not assigned to a hazard category.

##### Water hazard class (WGK)

##### WGK:

3 - stark wassergefährdend

#### 15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

## SECTION 16: Other information

### 16.1. Indication of changes

No data available

### 16.2. Abbreviations and acronyms

For abbreviations and acronyms, see table at <http://abbrev.esdscom.eu>

-ADR: European agreement concerning the international carriage of dangerous goods by road (Accord européen relatif transport des marchandises dangereuses par route)

-CAS: Chemical Abstract Service

-CLP: Classification, labelling and Packaging

-DNEL: Derived No Effect Level

-EC50: Effective Concentration 50%

-ECHA: European Chemical Agency

-LC50: Lethal Concentration 50%

-LD50: Lethal Dose 50%

-PBT: persistent, bioaccumulative, toxic

-PNEC: Predicted No Effect Concentration

-REACH: Registration, Evaluation and Authorization of Chemicals

-SVHC: Substance of Very High Concern

-VOC: Volatile organic compounds

-vPvB: very persistent, very bioaccumulative

### 16.3. Key literature references and sources for data

REACH Dissemination Portal



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

**Revision date:** 23-May-2019

**Print date:** 24-May-2019

**Version:** 1

Page 9/9



## Fox Float Fluid

### 16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

#### Classification according to Regulation (EC) No 1272/2008 [CLP]-:

Hazard classes and hazard categories	Hazard statements	Classification procedure
Serious eye damage/eye irritation ( <i>Eye Irrit. 2</i> )	H319: Causes serious eye irritation.	Calculation method.
Hazardous to the aquatic environment ( <i>Aquatic Chronic 3</i> )	H412: Harmful to aquatic life with long lasting effects.	Calculation method.

### 16.5. Relevant R-, H- and EUH-phrases (Number and full text)

Hazard statements	
H315	Causes skin irritation.
H318	Causes serious eye damage.
H411	Toxic to aquatic life with long lasting effects.

Supplemental Hazard information (EU)	
EUH066	Repeated exposure may cause skin dryness or cracking.

### 16.6. Training advice

No data available

### 16.7. Additional information

This Safety Data Sheet was drawn up by TÜV SÜD Industrie Service GmbH (see below), based on data from the supplier, who is named in section 1 and who is responsible for this document.

TÜV SÜD Industrie Service GmbH

Department Environmental Service

Westendstraße 199

80686 Munich - Germany